	(11)	Bet. Secs. 14-23, T 20 N., R 12 E. 3' x 2' x 30' BC 5 Box Culvert	Dr.Area 20 A C = 0.6	
		1:2:4 Concrete 9.1	78 C Y @ \$14.50 Per C Y Lbs. @ \$ .038 Per Lb. Total	141.81 32.34 174.15
		Bet. Secs. 18-19, T 20 N., R 13.E. 43 x 13 x 24 I-BM Concrete Bridge Over Dirty Butter Creek.	Dr.Area 9 Sq.Mi. C = 0.7	
		ABUTMENTS 1:2:4 Concrete 183 Reinforcing Steel 16,85	.08 C Y @ \$17.25 per C Y 8.Lbs. @ \$ .038 per Lb.	3,158.13 640.60
	FLOOR	SYSTEM: .	.62 C Y @ \$17.25 Per C Y Lbs. @ \$ .038 per Lb.	631.70 159.98
		Structural Steel	8 Lbs @ \$.0475 Per Lb.	1,262.46
		Structural Steel · ·	8 Lbs @ \$ .0475 Per Lb.	114.86
:		Floor Drains 2½ Iron Pipe 1	6 L F @ \$2.00 per L F 1 L F @ \$1.00 per L F 8 L F @ \$1.00 per L F	192.00 11.00 18.00 \$ 6,188.73
			ND TOTAL FOR DRAINAGE STRUCTURES DAWSON TOWNSHIP.	11,415.50
		Force Account, or Extra work, only COST, plus Fifteen (15%) Per Cent:	when ordered in writing by the Engineer	, at ACTUAL
	·	GRA ST	ND TOTAL FOR ALL DRAINAGE RUCTURES LISTED IN PROPOSAL NO. 2.	\$14,319.34
1	oft	hishing acceptable Surety Company Bo	we propose to immediately enter into conds, both Contract and Statutory, in the naid work within Five (5) days af complete the same to your acceptance ecciving said work order.	ter work ord
	the to c	Upon failure to complete provisions embodiee in the Oklahoma complete within the specified time a	within the time limit as proposed, we a State Standard Specifications respecti as bid.	gree to all ng failure
	10% ions	Certified Check or Bidde of the sum bid and conforming to the is, is hereto attached.	er's Bond amounting to \$1,432.00 being a ne "Notice to Contractors" and specifica	pproximately tion provis
		in the publ	is called to the provision embodied ished "Notice to Contractors" that ast be on forms prempared by the ineer.	:
:		Respectfully Submitted th	nis 15th. day of December, 1930.	•••
1		•	E G FIKE AND CO., Contr By: E G Fike, President	
i į		· · · · · · · · · · · · · · · · · · ·		,
			PROPOSAL NO. 3. Letting December 15th.193	in l
1	Hone Tul	orable Board of County Commissioners sa County, Oklahoma.		
	The undersigned, having examined the plans and specifications, the location and character of the work proposed to be done and performed in the construction of the hereinafter listed Drainage Structures, proposed to furnish all labor, materials and equipment and to complete the same according to the plans and specifications and to the stakes and under the direction of the County Engineer or his duly authorized representatives, which price is bid includes all excavation and the structure complete and in place (Oklahoma State Standard Specifications to govern, with the special provision that only Limestone Coarse Aggregate will be used) the following structures at the unit item prices set opposite, viz, to-wit:			
1		APPROX	XIMATE QUANTITIES.  FRYE TOWNSHIP	•
!	(1)	Bet.Secs. 15-16, T 18 N., R 13 E. 5' x 4' x 26' BC 5 Box Culvert	Dr.Area 70 A C = 0.8	7.0hl 00
		1:2:4 Concrete 20	0.25 C Y @ \$16.00 per C Y 5 Lbs @ .035¢ per Lb Total	324.00 53.03 377.03
	(2)	Bet Secs. 15-16, T 18 N., R 13 E.  5' x 3' x 26' BC 5 Box Culvert  1:2:4 Concrete	Dr.Area 45 A C = 0.8 5.69 C Y @ \$16.00 per C Y	251.04
		Reinforcing Steel 133	7 Lbs @ \$ .035 Per Lb. Total	46.79 297.83
1	(3)	Bet. Secs. 15-16, T 18 N., R 13 E.  3' x 2' x 42' BC 5 Box Culvert  1:2:4 Concrete	Dr.Area 10 A C = 1.0 2.44 C Y @ \$16.00 per C Y	199.04
1		2,2,1 00.002000	Lbs @ \$.035	39.44 238.48
	1			·