TUESDAY, MAY 31, 1983

5. Malchi Auto Equipment Engine Analyzer Wheel Balancer

\$ 2,906.25 4,276.50

Moved by Harris, seconded by Rice, to refer the bids to Building Operations and Purchasing for analysis, report and recommendation on June 6, 1983. Upon roll call, Harris, yes; Rice, yes; Young, yes. Motion carried.

Sealed bids, on behalf of Building Operations, for 1 horizontal metal cutoff bandsaw and one 15" floor model drill press, were received and opened. The bidders being seven in number are as follows:

1.	C K & W Supply Bandsaw Drill Press	\$ 3,053.10 1,240.00
2.	Royal Machine Tools Inc. Bandsaw Drill Press	\$ 1,800.00 1,450.00
3.	B & C Machinery Bandsaw Drill Press	\$ 1,760.00 672.90
4.	DoAll Tulsa Co. Bandsaw Drill Press	No Bid No Bid
5.	Midwest Supply Co. Bandsaw Drill Press	NO Bid No Bid
6.	Hart Industrial Bandsaw Drill Press	\$ 2,295.00 1,034.00
7.	Marsuco Bandsaw Drill Press	\$ 1,794.50 1,259.70

Moved by Harris, seconded by Rice, to refer the bids to Building Operations and Purchasing for analysis, report and recommendation on June 6, 1983. Upon roll call, Harris, yes; Rice, yes; Young, yes. Motion carried.

Sealed bids, on behalf of Building Operations, for vacuum cleaner parts and equipment, were received and opened. The bidders being two in number are as follows:

Kirby Co. of Oklahoma
Bewley Sweeper Service
by item

Moved by Harris, seconded by Rice, to refer the bids to Building Operations and Purchasing for analysis, report and recommendation on June 6, 1983. Upon roll call, Harris, yes; Rice, yes; Young, yes. Motion carried.

Sealed bids, on behalf of Health, for 1 new combustible gas/oxygen deficiency combination detector, were received and opened. The bidders being three in number are as follows:

1.	Briggs-Weaver	\$ 610.00
2.	Wayest Safety Inc.	715.00
3.	Boren/Zink Safety Inc.	625.00

Moved by Rice, seconded by Harris, to refer the bids to Health and Purchasing for analysis, report and recommendation on June 6, 1983. Upon roll call, Harris, yes; Rice, yes; Young, yes. Motion carried.