

Commissioners met to equalize assessments.  
 Railroads to put in crossings where necessary.  
 Tankage to be assessed by amount of storage.  
 Oil property Equalized.  
 Webster constable of Broken Arrow.  
 Increases & decreases on lands.

Tulsa Oklahoma June 7 1909

The County Commissioners of Tulsa County met in County Clerk's office pursuant to law for the purpose of Equalizing the Assessment for the year 1909. Present W. L. North and C. H. Cleland. In the matter of the Steel Tankage of Bixby Township it was found that different values were placed upon it. On motion of Board it was ordered that this be referred back to J. F. Hays, Township Assessor of Bixby Township for a reassessment. The day was spent mostly in hearing grievances with no action taken. The Board adjourned to meet Tuesday June 8 1909 at 9 A.M.

Pursuant to previous agreement the commissioners met Tuesday June 8 1909 at 9 A.M. Present W. L. North, C. H. Cleland & Geo. McKeehan. On motion of Board the oil in steel tanks in Bixby Township was reduced 40%. On motion of Board all steel tankage was ordered to be placed at a value of 7¢ per barrel. Upon Petition of The Okla. Oil Co. upon an appeal from the Township Board the board upon motion reduced the assessment upon The S<sup>2</sup> SW<sup>4</sup> Section 15 Township 17 Range 12 East from \$12,000<sup>00</sup> to 10,000<sup>00</sup>.

On motion of Board the County Attorney was ordered to bring suit if necessary to compel all Rail Road Companies to put in crossings when requested by the proper authorities.

On motion of Board George W. Webster was appointed Constable of Broken Arrow Township.

On motion of Board the following increases and decreases were made in the values of all lands by Townships:

- Jenks Township Raised 45%
- Red Fork Township Raised 10%
- Owasso Township Raised 10%
- Lynn Lane Township Reduced 10%
- Skiatook Township Raised 50%
- Bixby Township Raised 10%
- Fry Township Raised 10%
- Bowles Township Raised 10%
- Wekiwa Township let stand.
- Dawson Township Raised 10%